

- (1) J. Lu, M. Prabhu, J. Song, Ch. Li, J. Xu, K. Ueda, A. Kaminskii, H. Yagi, T. Yanagitani, Optical properties and highly efficient laser oscillation of Nd:YAG ceramics, *Appl. Phys. B*, vol.71, 469-474 (2000).
- (2) J. Lu, M. Prabhu, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A. Kaminskii, High efficiency 2% Nd:YAG ceramic laser, *Appl. Phys. Lett.*, vol.77, 3707-3709 (2000).
- (3) J. Lu, M. Prabhu, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A. Kaminskii, High power Nd:YAG ceramic laser, *Jpn. J. Appl. Phys.*, vol. 39, L1048-L1050 (2000).
- (4) A. Kaminskii, H. Eichler, J. Lu, T. Murai, K. Ueda, H. Yagi, T. Yanagitani, Stimulated Raman emission of YAG crystal, *Phys. Stat. Sol. (a)*, vol. 181, N19-N20 (2000).
- (5) A.A.Kaminskii, H.J.Eichler, K.Ueda, S.N.Bagaev,G.M.A.Gad, J.Lu, T.Murai, H.Yagi and T.Yanagitani, Observation of stimulated Raman scattering in $Y_3Al_5O_{12}$ single crystals and nanocrystalline ceramics and in these materials activated with laser ions Nd^{3+} and Yb^{3+} , *J ETP Letters*, vol.72, 499-502 (2000).
- (6) J. Lu, M. Prabhu, J. Song, Ch. Li, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A. A. Kaminskii, Highly efficient Nd:YAG ceramic laser, *Jpn. J. Appl. Phys.*, vol.40, L552 - L554 (2001).
- (7) J. Lu, M. Prabhu, J. Song, Ch. Li, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A. A. Kaminskii, Highly efficient Nd:YAG ceramic laser, *Jpn. J. Appl. Phys.*, vol.40, L552 - L554 (2001).
- (8) J. Lu, T. Murai, K. Takaichi, T. Uematsu, K.Misawa, M. Prabhu, J. Xu, K.Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, A. Kudryashov, 72 W Nd:Y₃Al₅O₁₂ ceramic laser, *Appl. Phys. Lett.*,vol.78, 3586 - 3588 (2001).
- (10) J. Lu, K. Ueda H. Yagi, T. Yanagitani, Y. Akiyama, A.A.Kaminskii, Doped and undoped yttrium aluminium garnet ($Y_3Al_5O_{12}$) nanocrystalline ceramics - a new generation of solid state laser and optical materials, *J. Alloy and Compounds*, vol.341, 220-225, 2002.
- (11) J. Lu, M. Prabhu, K. Ueda, H. Yagi, T. Yanagitani, A. Kudryashov, A.A.Kaminskii, Potential of ceramic YAG lasers, *Laser Physics*, vol.11, 1053-1057 (2001).
- (12) J. Lu, J. Lv, T. Murai, T. Takaichi, T. Uematsu, K. Ueda, H. Yagi, T. Yanagitani, A. Kaminskii, Nd^{3+} :Y₂O₃ ceramic laser, *Jpn. J. Appl. Phys.*, vol.40, L1277-1279 (2001).
- (13) K. Takaichi, J. Lu, T. Murai, T. Uematsu, K. Ueda, H. Yagi, T. Yanagitani, A.A. Kaminskii, Chromium doped Y₃Al₅O₁₂ ceramics - a novel saturable absorber for passively Q-switched one-micron solid state lasers, *Jpn. J. Appl. Phys.*,vol.41, L96-L98 (2002).
- (14) J. Lu, J. Lu, T. Murai, A. Shirakawa, K. Ueda, T. Yanagitani, H. Yagi, V. Gabler, H. Eichler, A.A. Kaminskii, New highly efficient 1.3-mm cw laser generation of 4F_{3/2} R 4I_{13/2} channel in Nd³⁺:Y₃Al₅O₁₂ ceramic under diode pumping, *Phys. Stat. Sol. (a)*, vol.189, R11-R13, 2002.
- (15) J. Lu, J. Lu, T. Murai, K. Takaichi, T. Uematsu, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, 36 W diode-pumped continuous-wave 1319 nm ceramic Nd:YAG laser, *Opt. Lett.*, vol.27, 1120-1122, 2002.
- (16) J. Lu, K. Takaichi, T. Uematsu, A. Shirakawa, M. Musha, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii,, Yb^{3+} :Y₂O₃ ceramics - a novel solid-state laser materials, *Jpn. J. Appl. Phys.* vol.41, L1373-L1375, 2002.
- (17) J. Lu, K. Takaichi, T. Uematsu, A. Shirakawa, M. Musha, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, Promising ceramic laser material: highly transparent Nd^{3+} :Lu₂O₃ ceramic, *Appl. Phys. Lett.*, vol.81, 4324-4326, 2002.

- (18) J. Lu, K. Takaichi, T. Uematsu, A. Shirakawa, M. Musha, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, Nd³⁺:Y₃Al₅O₁₂ ceramic laser, *Laser Physics*, vol.13, 940 - 942, 2003.
- (19) A.A.Kaminskii, M. Akchurin, V. Alshits, K. Ueda, K. Takaichi, J. Lu, T. Uematsu, M. Musha, A. Shirakawa, V. Gabler, H. Eichler, H. Yagi, T. Yanagitani, S. Bagayev, J. Fernandez, R. Balda, New data on the physical properties of monocrystalline laser ceramic on the base of Y₃Al₅O₁₂, *Crystallography Reports*, vol.48, 515-519, 2003.
- (20) A.A.Kaminskii, K. Ueda, A. Konstantinova, H. Yagi, T. Yanagitani, A. Butashin, V. Orekhova, J. Lu, K. Takaichi, T. Uematsu, M. Musha, A. Shirakawa, Refractive indices of laser nanocrystalline ceramics based on Y₃Al₅O₁₂, *Crystallography Reports*, vol.48, 868-871, 2003.
- (21) J. Kong, J. Lu, K. Takaichi, T. Uematsu and K. Ueda, D. Y. Tang, D. Y. Shen, H. Yagi and T. Yanagitani, A.A.Kaminskii, Diode-pumped Yb:Y₂O₃ ceramic laser, *Appl. Phys. Lett.*, vol. 82, 2556-2558, 2003.
- (22) K. Ueda, J. Lu, K. Takaichi, H. Yagi, T. Yanagitani, A.A.Kaminskii, Nd-doped ceramic YAG lasers and their future, *Rev. Laser Engineer.*, vol.31, 465-470, 2003.
- (23) J. Lu, J. F. Bisson, K. Takaichi, T. Uematsu, A. Shirakawa, M. Musha, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, Yb³⁺:Sc₂O₃ ceramic laser, *Appl. Phys. Lett.*, vol.83, 1101-1103, 2003.
- (24) J-F Bisson, Y. Feng, A. Shirakawa, H. Yoneda, J. Lu, H. Yagi, T. Yanagitani, K. Ueda, Laser Damage Threshold of Ceramic YAG, *Jpn. J. Appl. Phys.*, vol.42, L1025-L1027, 2003
- (25) J. Lu, K. Takaichi, T. Uematsu, J. F. Bisson, Y. Feng, A. Shirakawa, K. Ueda, H. Yagi, T. Yanagitani, A. A. Kaminskii, 110 W Ceramic Nd³⁺:Y₃Al₅O₁₂ Laser, *Appl. Phys. B.*, vol.79, 25 - 28, 2004.
- (26) A. Shirakawa, K. Takaichi, H. Yagi, J-F Bisson, J. Lu, M. Musha, K. Ueda, T. Yanagitani, A.A.Kaminskii, Diode-pumped mode-locked Yb³⁺:Y₂O₃ ceramic lasers, *Opt. Exp.*, vol.11, 2911-2916, 2003.
- (27) K. Takaichi, J. Lu, A. Shirakawa, H. Yagi, K. Ueda, T. Yanagitani, A. A. Kaminskii, Yb³⁺ doped Y₃Al₅O₁₂ ceramics - A new solid-state laser material-, *Phys. Stat. Sol. (a)*, vol.200, No. 1, page R5-R7 (2003).
- (28) A. Kaminskii, K. Ueda, A. Konstantinova, H. Yagi, T. Yanagitani, A. Butashin, V. Orekhova, J. Lu, K. Takaichi, T. Uematsu, M. Musha, A. Shirakawa, Lasing and refractive indices of nanocrystalline ceramics of cubic yttrium oxide Y₂O₃ doped with Nd³⁺ and Yb³⁺ ions, *Crystallography Reports*, vol.48, 1041 - 1043, 2003.
- (29) A.A. Kaminskii, K. Ueda, H. Eichler, S. Bagayev, K. Takaichi, J. Lu, H. Yagi, T. Yanagitani, Observation of nonlinear lasing c(3)-effects in highly transparent nanocrystalline Y₂O₃ and Y₃Al₅O₁₂ ceramics, *Laser Phys. Lett.*, vol.1, 4 - 10, 2004.
- (30) K. Takaichi, J. Lu, J-F Bisson, A. Shirakawa, K. Ueda, H. Yagi, T. Yanagitani, A. Kaminskii, Highly efficient Yb-doped Y₂O₃ ceramic lasers at 1030nm and 1075nm, *Appl Phys. Lett.*, 84, 317-319, 2004.
- (31) J. Kong, D. Tang, J. Lu, K. Ueda, H. Yagi, T. Yanagitani, Diode-end-pumped 4.2-W continuous-wave Yb:Y₂O₃ ceramic laser, *Opt. Lett.*, vol.29, 1212 - 1214, 2004.
- (32) J. Kong and D. Y. Tang, J. Lu and K. Ueda, H. Yagi and T. Yanagitani, Passively mode-locked Yb:Y₂O₃ ceramic laser with a GaAs saturable absorber mirror, *Opt. Comm.*, vol.237, 165-168, 2004.
- (33) G. Kumar, J. Lu, T. Uematsu, A.A.Kaminskii, K. Ueda, H. Yagi, T. Yanagitani, N. Unnikrishnan, Spectroscopic and stimulated emission characteristics of Nd³⁺ in transparent YAG ceramics, *IEEE QE*, vol.40, 747 - 758, 2004.
- (34) Yu. Barabanenko, S. Ivanov, E. Khazanov, H. Yagi, T. Yanagitani, K. Takaichi, J. Lu, J. Bisson, A. Shirakawa, K.

- Ueda, A.A.Kaminskii, Nonequilibrium acoustic phonons in $Y_3Al_5O_{12}$ -based nanocrystalline ceramics, *JETP Lett.*, vol.79, 342-345, 2004.
- (35) Y. Feng, J. Lu, K. Takaichi, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, Passively Q-Switched Ceramic Nd^{3+} :YAG/ Cr^{4+} :YAG Lasers, *Appl. Opt.*, vol. 43, 2944-2947, 2004.
- (36) Yu. Senatsky, A. Shirakawa, Y. Sato, J. Hagiwara, J. Lu, K. Ueda, H. Yagi, T. Yanagitani, Nonlinear refractive index of ceramic laser media and perspectives of their usage in a high-power laser-driver, *Laser Phys. Lett.*, vol.1, 500-506, 2004.
- (37) G. Qin, J. Lu, J.F. Bisson, Y. Feng, K. Ueda, H. Yagi, T. Yanagitani, Upconversion luminescence of Er^{3+} in highly transparent YAG ceramics, *Sol. Stat. Comm.*, vol.132, 103-106, 2004.
- (38) A.A.Kaminskii, S. Bagayev, K. Ueda, K. Takaichi, J. Lu, A. Shirakawa, H. Yagi, T. Yanagitani, H. Eichler, H. Rhee, Observation stimulated Raman scattering in nanocrystalline Sc_2O_3 ceramics, *Laser Phys. Lett.*, vol.2, 30-35, 2005.
- (39) K. Takaichi, H. Yagi, J. Lu, J-F Bisson, T. Petrov, A. Shirakawa, K. Ueda, T. Yanagitani, A.A.Kaminskii, Yb^{3+} -doped ceramic lasers, *OSA TOPS*, vol.94, 217-221, 2004.
- (40) A. Shirakawa, K. Takaichi, H. Yagi, M. Tanisho, J-F Bisson, J. Lu, K. Ueda, T. Yanagitani, A. Kaminskii, First mode-locked ceramic laser: femtosecond Yb^{3+} : Y_2O_3 ceramic laser, *Laser Phys.*, vol.14, 1375-1381, 2004.
- (41) J.-F. Bisson, J. Lu, K. Takaichi, Y. Feng, M. Tokuragkwa, A. Shirakawa, A.A. Kaminskii, H. Yagi, Y. Yanagitani, K. Ueda, Nanotechnology is stirring up solid-state laser fabrication technology, *Recent Res. Devel. Applied Phys.*, vol.7, 475-496, 2004.
- (42) K. Takaichi, H. Yagi, A. Shirakawa, K. Ueda, S. Hosokawa, T. Yanagitani, A. Kaminskii, $Lu_2O_3:Yb^{3+}$ ceramic - a novel gain material for high-power solid-state lasers, *Phys. Stat. Sol. (a)*, vol.202, R1-R3, 2005. (Rapid Research Letters).
- (43) S. Strohmaier, H. Eichler, J.F. Bisson, K. Takaichi, K. Ueda, H.Yagi, T. Yanagitani, A.A.Kaminskii, Ceramic Nd :YAG laser at 946 nm, *Laser Phys. Lett.*, vol.2, 383 - 386, 2005.
- (44) J. Kong, D. Tang, B. Zhao, J. Lu, K. Ueda, H. Yagi, T. Yanagitani, 9.2-W diode-end-pumped $Yb:Y_2O_3$ ceramic laser, *Appl. Phys. Lett.*, vol.86, 161116, 2005.
- (45) K. Ueda, J-F Bisson, H. Yagi, K. Takaichi, A. Shirakawa, T. Yanagitani, A. A. Kaminskii, Scalable ceramic lasers, *Laser Physics*, vol.15, 927-938, 2005.
- (46) A.A. Kaminskii, M. Akchurin, R. Gainutdinov, K. Takaichi, A. Shirakawa, H. Yagi, T. Yanagitani, K. Ueda, Microhardness and fracture toughness of Y_2O_3 - and $Y_3Al_5O_{12}$ -based nanocrystallin laser ceramics, *Crystallography Reports*, vol.50, 869-873, 2005.
- (47) S. Ivanv, Y. Barabanenkov, A. Taranov, E. Khazanov, H. Yagi, T. Yanagitani, K. Takaichi, J. Lu, JF. Bisson, A. Shirakawa, K. Ueda, S. Bagayev, A.A.Kaminskii, Non-equilibrium acoustic phonons in nanocrystalline ceramics based on C-modification of Y_2O_3 sesquioxide, *Phys. Stat. Sol. B*, vol. 242, 1983-1989, 2005.
- (48) A.A.Kaminskii, S. Bagayev, K. Ueda, K. Takaichi, H. Yagi, T. Yanagitani, 5.5 J pyrotechnical pumped Nd^{3+} : $Y_3Al_5O_{12}$ ceramic laser, *Laser Phys. Lett.*, vol.3, 124 - 128, 2006.
- (49) A.A.Kaminskii, S. Bagaev, H. Eichler, K. Ueda, K. Takaichi, A. Shirakawa, H. Yagi, T. Yanagitani, H. Rhee, Observation of high-order Stokes and anti-Stokes c(3)-generation in highly transparent laser-host Lu_2O_3

ceramics, *Laser Physics Letters*, vol.3, 310 - 313, 2006.

- (50) A.A. Kaminskii, S. Bagayev, K. Ueda, K. Takaichi, A. Shirakawa, S. Ivanov, E. Khazanov, A. Taranov, H. Yagi, T. Yanagitani, New results on characterization of highly transparent C-modification Lu_2O_3 nanocrystalline ceramics: room-temperature tunable CW laser action of Yb^{3+} ions under LD-pumping and the propagation kinetics of non-equilibrium acoustic phonons, *Laser Phys. Lett.*, vol.3, 375-379, 2006.
- (51) J. Dong, A. Shirakawa, K. Ueda, H. Yagi, T. Yanagitani, A.A. Kaminskii, Efficient $\text{Yb}^{3+}:\text{Y}_3\text{Al}_5\text{O}_{12}$ ceramic microchip lasers, *Appl. Phys. Lett.*, 89, 091114 (2006).
- (52) G.A. Kumara, J.Lu, A.A. Kaminskii, K. Ueda, H. Yagi, T. Yanagitani, Spectroscopic and stimulated emission characteristics of Nd^{3+} in transparent Y_2O_3 ceramics, *IEEE J. Quantum Electronics*, vol.42, 643-650 (2006)
- (53) H. Yagi, K. Takaichi, K. Ueda, Y. Yamasaki, T. Yanagitani, and A.A. Kaminskii: "The physical properties of composite YAG ceramics," *Laser Physics*, Vol.15, No9, pp1338-1344, (2005).
- (54) H. Yagi, J.F. Bisson, K. Ueda, and T. Yanagitani: " $\text{Y}_3\text{Al}_5\text{O}_{12}$ ceramic absorbers for the suppression of parasitic oscillation in high-power Nd:YAG lasers", *Journal of Luminescence*, Vol.121, pp88-94, (2006).
- (55) H. Yagi, T. Yanagitani, and K. Ueda: " $\text{Nd}^{3+}:\text{Y}_3\text{Al}_5\text{O}_{12}$ laser ceramics: Flashlamp pumped laser operation with a UV cut filter", *Journal of Alloys and compounds*, Vol.421, pp195 - 199, (2006).
- (56) H. Yagi, K. Takaichi, K. Ueda, T. Yanagitani, and A.A. Kaminskii: "Influence of annealing conditions on the optical properties of chromium-doped ceramic $\text{Y}_3\text{Al}_5\text{O}_{12}$ ", *Optical Materials*. Vol.29, No.4, pp392-396 (2006).
- (57) H. Yagi, T. Yanagitani, T. Numazawa, and K. Ueda: "The physical properties of transparent $\text{Y}_3\text{Al}_5\text{O}_{12}$ – Elastic modulus at high temperature and thermal conductivity at low temperature", *Ceramics International*. Available online 2006
- (58) H. Yagi, T. Yanagitani, H. Yoshida, M. Nakatsuka, and K. Ueda: "The optical properties and laser characteristics of Cr^{3+} and Nd^{3+} co-doped $\text{Y}_3\text{Al}_5\text{O}_{12}$ ceramics", *Optics & Laser Technology*. Available online 2006.
- (59) H. Yagi, T. Yanagitani, K. Takaichi, K. Ueda, and A.A. Kaminskii: "Characterization and laser performance of highly transparent $\text{Nd}^{3+}:\text{YAG}$ ceramics", *Optical materials*. Available online 2006.
- (60) H. Yagi, T. Yanagitani, H. Yoshida, M. Nakatsuka, and K. Ueda: "Highly efficient flashlamp-pumped Cr^{3+} and Nd^{3+} co-doped $\text{Y}_3\text{Al}_5\text{O}_{12}$ ceramic laser", *Japanese Journal of Applied Physics*, Vol. 45, No. 1A, 2006, pp.133-135.
- (61) H. Yagi, K. Takaichi, K. Hiwada, K. Ueda, and T. Yanagitani: "Side-pumped $\text{Nd}^{3+}:\text{Y}_3\text{Al}_5\text{O}_{12}$ composite ceramic laser", *Japanese Journal of Applied Physics*, Vol.45, No7, 2006, ppL207-209.
- (62) J. Dong, A. Shirakawa, K. Takaichi, K. Ueda, H. Yagi, T. Yanagitani, and A.A. Kaminskii, "All-ceramic passively Q-switched $\text{Yb}:\text{YAG}/\text{Cr}^{4+}:\text{YAG}$ microchip laser", *Electronics Letters*, 28th September, 2006, Vol.42, No.20.
- (63) M. Tokurakawa, K. Takaichi, A. Shirakawa, K. Ueda, H. Yagi, S. Hosokawa, T. Yanagitani, and A.A. Kaminskii, "Diode-pumped mode-locked $\text{Yb}^{3+}:\text{Lu}_2\text{O}_3$ ceramic laser", *Optics Express*, Vol.14, No26, pp12832 (2006).